880726MK

# **DUPLICATE**

KCEI

# Before the

## FEDERAL COMMUNICATIONS COMMISSION

Washington, D.C. 20554

In re Application of:	
Caprock Educational Broadcasting Foundation	File No. BPED-831220AD CP MOD. No. 880328M M
Amendment for Modification of Construction Permit New Non-Commercial Educational FM Station Call Sign KAMY-FM	RECEIVED BY
Lubbock, TX	JUL 26 <b>1988</b>
	MAIL BRANCH

To: Chief, Mass Media Bureau

### AMENDMENT TO

# PETITION FOR RIGHT TO MODIFY CONSTRUCTION PERMIT

Comes now, Caprock Educational Broadcasting Foundation, and hereby request the Chief of the FM branch to accept the following amendment to the petition to modify the above mentioned construction permit.

On March 28, 1988 we applied for a modification of our existing construction permit. We would like to modify this application for modification to reflect minor changes in the original request, and a new tower site.

Wherefore, premises considered, and good cause having been shown, it is requested that this amendment to the petition for Modification of the above mentioned Construction Permit be accepted and made of the above referenced Construction Permit.

Respectfully submitted,

Γ. Kent Atkins

Trustee

# **CERTIFICATION**

I hereby certify that all of the information is true, correct and complete to the best of my knowledge.

Dated, July 23, 1988

Signed

...

# APPLICATION FOR CONSTRUCTION PERMIT FOR NONCOMMERCIAL EDUCATIONAL BROADCAST STATION (Carefully read instructions before filling out Form—RETURN ONLY FORM TO FCC)

For Commission Use Only File No.

Section I			General Information				
1. Name of Applicant Caprock Educati	onal :	Broadcasting	Foundation	2 1 0 (	Street Address ) H w y 3		te 4
			للللا				لىت
		•					
City			State		ZIP Code	Telephone	
G <sub>r</sub> , a n d , P r	a i r	į ę, , , , , ,	TX	17, 5	250	Include Al) نــــا	rea Code)
	Send notic	es and communication	is to the following na	med person at	the address below	: (214)647-	1010
Name					Street Address		
James Oyster			8, 3, 1	Tot	pin, R	o a d	بب
City		•	State		ZIP Code	Telephone	No.
¡A,n,n,a,n,d,a,	1 e		V   A	12, 3, 9		(Include A	
2. This application is for:	□ AM	<b>€</b> FM	TV	L		(703)573	-6765
(a) Channel No. or Freque	ncy: 211	90.1	(b) Communi	ty of license:			
					City		State
			Lupl	o o c k			[XX]
heck one of the follow	wing boxes:						
	☐ Major (☐ Minor (☐ Modific	ition for new station Change in Existing stat Change in Existing stat ation of Construction I ment to Pending Appli	ion; call sign: Permit; File No. of Cl		880328MM		
		orm to amend a previou m that contain the ame		Should you do so	o, however, please	submit only Section	a I and
3. Is this application mutu	ially exclusiv	e with a renewal applic	cation?				
	□ YES	XI NO					
If Yes, State:		Call letters:	Community of	license:			
					City		State
		<u> </u>	الساد ا			لتبييا	ليا

1. Purpose of authorization applied for:	Na 	ame of Applicant Ca	aprock	Educat	cional Br	oadcasting	, Founda	tion			·
Change:      Frequency	1,	Purpose of authori	ization ap	plied for:							
Antenna height above average terrain  Studio location outside community of license  Other (Summarize briefly the nature of the changes proposed.)  A ommunity of license:  State Texas Dibbock  Texas Dibbock  State Texas Dibbock  Class (Check one below)  90.1 MHz 211  A Geographic coordinates of antenna (to nearest second)  North Latitude 33 30 08 West Longitude 101 52 20 5  Effective radiated power:  Polarization Horizontal 1.112 kW Vertical 1.112 kW Vertical 1.112 kW Vertical 1.112 kW Above Above Average terrain (HAAT) Mean See Level Ground Horizontal 1.50 meters 1127.7 meters 147.7 meters Vertical 1.50 meters 1127.7 meters 147.7 meters		☑ Construct a ne	w station	·		☐ Install A	uxiliary syste	m			
City or Town Texas    Goographic coordinates of antenna (to nearest second)   North Latitude 33 30 08 West Longitude 101 52 20		Change:	₩ Effe	ctive radiated	power			☐ Fre	quency		
Other (Summarize briefly the nature of the changes proposed.)  4. ommunity of license:  State Texas  Texas  Texas  Shabock  3. Facilities requested:  Frequency Channel No.  Class (Check one below)  90.1  MHz 211  GR A B B1 C C C1 C2 D  4. Geographic coordinates of antenna (to nearest second)  North Latitude 33 30 08 West Longitude 101 52 20 S  5. Effective radiated power:  Polarization Horizontal 1.112  kW  Vertical  1.112  kW  Vertical  Above Average terrain (HAAT)  Above Mean Sea Level  Above Mean Sea Level Mean Sea Level  Above Mean Sea Level Mean S			⊠ Ante	enna height a	bove average te	rrain		⊠ Tra	nsmitter loc	ation	
A ommunity of license:    State   Texas   Inbbook			☐ Stud	dio location o	utside communi	ity of license					
Texas   Inbbock			Oth	er (Summariz	, e briefly the nat	ure of the change	s proposed.)				
4. Geographic coordinates of antenna (to nearest second)  North Latitude 33 30 08 West Longitude 101 52 20 5  Effective radiated power:  Polarization Horizontal Plane Maximum (Beam tilt only)  Horizontal 1.112 kW kW  Vertical 1.112 kW kW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Vertical 1.112 kW kW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Vertical 1.112 kW kW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Vertical 1.112 kW kW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Vertical 1.112 kW kW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Vertical 1.112 kW kW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 52 20 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 6 2 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 6 2 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 6 2 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 6 2 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 6 2 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 6 2 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 6 2 6  Maximum (Beam tilt only)  KW  Nest Longitude 101 6 6  Nest Longitude 101 6 6  Nest Longitude 101 6 6  Nest Longitude	٤	ommunity of lice	nse:			· · · · · · · · · · · · · · · · · · ·					
4. Geographic coordinates of antenna (to nearest second)  North Latitude 33 30 08 West Longitude 101 52 20 52 52 52 52 52 52 52 52 52 52 52 52 52	3.	Facilities requested	<b>d</b> :		Frequency	Channel N	o.	С	lass (Check	one below)	
North Latitude 33 30 08 West Longitude 101 52 20 5. Effective radiated power:  Polarization Horizontal Plane Maximum (Beam tilt only)  Horizontal 1.112 kW  Vertical 1.112 kW  Mean Sea Level Ground  Horizontal 150 meters 1127.7 meters 147.7 meters  Vertical 150 meters 1127.7 meters 147.7 meters					90.1	MHz 211		<b>⊠</b> A □ C	□ в □ С1	□ B1 □ C2	□ <sub>D</sub>
North Latitude 33 30 08 West Longitude 101 52 20  5. Effective radiated power:  Polarization Horizontal Plane Maximum (Beam tilt only)  Horizontal 1.112 kW  Vertical 1.112 kW  Above Average terrain (HAAT) Mean Sea Level Ground  Horizontal 150 meters 1127.7 meters  Vertical 150 meters 1127.7 meters 147.7 meters	4.	Geographic coordi	nates of a	intenna (to ne	earest second)						
Horizontal   1.112   kW   kW   kW   W   KW   KW   KW   KW		North Latitude	33	30	03"	West Lo	ngitude	101	52	20"	
Horizontal 1.112 kW	5.	Effective radiated p	ower:								
Vertical  1.112 kW  6. Height in meters of antenna radiation center:  Above Average terrain (HAAT)  Horizontal  150 meters  1127.7 meters  147.7 meters  Vertical  Language terrain (HAAT)  Mean Sea Level  Ground  150 meters  1127.7 meters  147.7 meters		Polarization			Horizontal F	Plane		Maximu	m (Beam ti	It only)	
Above Above Above Ground  Horizontal 150 meters 1127.7 meters 147.7 meters  Vertical 150 meters 1127.7 meters 147.7 meters	•	Horizontal		· ——	1.112	kW				kW	
Above Above Above Above Ground  Horizontal 150 meters 1127.7 meters 147.7 meters  Vertical 150 meters 1127.7 meters 147.7 meters		Vertical		<del></del>	1.112	kW				kW	
Average terrain (HAAT) Mean Sea Level Ground  Horizontal 150 meters 1127.7 meters 147.7 meters  Vertical 150 meters 1127.7 meters 147.7 meters	6.	Height in meters of	f antenna	radiation cen	ter:						
Vertical 150 meters 1127.7 meters 147.7 meters								vel			
		Horizontal			150	meters	1127.	7 meters	147.7	_ meters	
7. Is a directional antenna being proposed?		Vertical			150	meters	1127.	7 meters	147.7	meters	
	7.	Is a directional ante	enna being	g proposed?						□ YES È	ON Ç

If Yes, attach as Exhibit NoN/A an engineering statement with all data specified in Section 73.316(d) of the Commission's Rules.

Section V-B (page 2)	FM Broadcast Engineering	Data
8. Transmitter location:	State Texas	Lubbock
	City or Town	Street Address (or other identification)
	<u>Ļuhbocķ</u>	9802 University St.
<del></del>		<del>-</del>
•		·
	_	
•		
<u> </u>		
		•
414		
x		
)		
1.		
		^

15.	Tabulation of Terrain Data. (Calculated in accordance with the procedure prescribed in Section 73.313 of the Commission's Rules utilizing
	7.5 minute topographic maps, if available.)

Radial bearing	Height of antenna,	Predicted Distance
degrees true)	radiation center above average elevation of radial	To the 1 mV/m contour
	(3-16 kilometers)	
	Meters	Kilometers
0°	Please see Exhibi	t <u>E-5</u>
45°		
90°		
135°		
180°		
225°		
270°		
315°		- Carlon Control Contr

#### Allocation Studies

(See Subpart C of Part 73 of the Commission's Rules and Regulations)

16. Is the proposed antenna location within 320 kilometers (199 miles) of the common border between the United States and Mexico?

If Yes, attach as Exhibit No.  $\frac{N/A}{a}$  showing of compliance with all provisions of the Agreement between the United States of America and the United Mexican States concerning Frequency Modulation Broadcasting in the 88 to 108 MHz band.


- With regard to stations within 320 kilometers (199 miles) of the common border between the United States and Mexico, attach as Exhibit Nd\/A information required in 1/.
- If the proposed operation is for a channel in the range from channel 201 through 220 (88.1 through 91.9 MHz), then with regard to stations more than 320 kilometers (199 miles) from the common border between the United States and Mexico or if this proposed operation is for a class D station in the range from Channel 221 through 300 (92.1 through 107.9 MHz), attach as Exhibit No. = 0 a complete allocation study to establish the lack of prohibited overlap of contours involving these stations. The allocation study should include the following:
  - The normally protected interference-free and the interfering contours for the proposed operation along all azimuths.
  - Complete normally protected interference-free contours of all other proposals and existing stations to which objectionable interference would be caused.
  - Interfering contours over pertinent arcs of all other proposals and existing stations from which objectionable interference would be (c)
  - Normally protected and interfering contours over pertinent arcs, of all other proposals and existing stations, which require study to show the absence of objectionable interference.
  - Plot of the transmitter location of each station or proposal requiring investigation, with identifying call letters, file numbers and operating or proposed facilities.
  - When necessary to show more detail, an additional allocation study will be attached utilizing a map with a larger scale to clearly show interference or absence thereof.
  - A scale of miles and properly labeled longitude and latitude lines, shown across the entire (Exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified.
  - The name of the map(s) used in the exhibit(s).


A showing that the proposed operation meets the minimum distance separation requirements. If any separations are proposed that are less than the applicable minimum separation requirements plus 15 kilometers, include these stations. Also include existing stations, proposed stations, and cities which appear in the Table of Assignments; the location and geographic coordinates of each antenna, proposed antenna or reference point, as appropriate; and distance to each from proposed antenna location.


-				
	Seci	tion V-B (page 4)	FM Broadcast Engineering Data	
	19.		location within 320 kilometers of the common border between the United States and Canada?	
			No. N/A a showing of compliance with all provisions of the Working Agreement for Allocation of FM Broad- nnels 201-300 under The Canada-United States FM Agreement of 1947.	
	20.	With regard to station sep tion requirements involvi	parated by 53 or 54 channels (10.6 or 10.8 MHz) attach as Exhibit No. $\frac{E-7}{}$ information required in $1/(separating\ intermediate\ frequency\ [i.f.]\ interference).$	
***				
	-			
· <del>-</del> ,				
i j				
_ <b>-</b> -				
•				
	<u>A</u> .	<u> </u>		
	A**Em	- 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12		
- S	,			
		\ <u>-</u>		
ie.				
} }		(1		
-				

Section V-	G	Anter	nna and Site Informa	tion		
Name of A	pplicant	·	Call Sign	Station Location		
Caprock	Educational	Broadcasting	Foundation	KAMY Lubbock	Texas	
Purpose of	Application (Put "X" i	n appropriate box)	Facilitie	es Requested		
	· - <u></u>					
=	<u> </u>					
•				_		
<u>-</u>						
. · ·						
<u> </u>						
<i>:</i>						
2°4 * 42°00						
,						
<u></u>	·					
						_
,						
<b>=</b>						
1/3						
·						
				-		
	·		,	,		

<b>6</b> .	Attach as Exhibit No. $E-8$ a vertice above ground in feet and meters for the skeletal or other main supporting	r all significant features. C	learly indicate existing p			
	M 40			,		
	I certify that I represent the application and that it is true to the			e examined the	foregoing statement of t	technica
			T. Kent Atk	Name	Whis populate box below)	
			2100 Hwy 36	( )	1204	
_			Grand Prair (214) 647-1		5050	
			Tele	phone No. (Incl	ude Area Code)	
<b>6</b> 5 To	echnical Director	☐ Registered Profe	ssional Engineer		Other (specify)	
□ т	echnical Consultant	☐ Chief Operator				







### Exhibit E-4

This Applicant has determined that there will be no blanketing at the proposed antenna site. The immediate area is a commercially zoned area, and as such is sparsely populated. The transmitter site has been used by a full power UHF television station for the past five years without any blanketing problems.

Should any blanketing interference occur the Applicant will purchase any filters or take other such steps necessary to remedy the problem.

The Applicant assumes full responsibility for any such problems should they arise.

July 23, 1988

Section V-B, 15 Of FCC Form 340

Caprock Educational Broadcasting

Lubbock Texas

Channel 211 Class A

Bearing	Average Terrain Radial (ft/mt)	Radiation Center A.A.T. (ft/mt)	3.16 mV/m (70 dBu) (mi/km)	1 mV/m (60 dBu) (mi/km)	
(, <b>,                                   </b>	<b></b>	~=====================================			:====
0	3200.0/ 975.4	499.6/ 152.3	8.2/ 13.1	14.6/ 23.4	
45	3152.2/ 960.8	547.4/ 166.9	8.6/ 13.8	15.2/ 24.3	
90	3141.5/ 957.5	558.1/ 170.1	8.7/ 13.9	15.4/ 24.6	
135	3165.0/ 964.7	534.6/ 163.0	8.5/ 13.6	15.0/ 24.0	
180	32 <b>00.</b> 7/ 975.6	498.9/ 152.1	8.2/ 13.1	14.5/ 23.2	
225 ;	3271.2/ 997.1	428.4/ 130.6	7.6/ 12.2	13.5/ 21.6	
270 :	3286.7/1001.8	412.9/ 125.9	7.4/ 11.8	13.3/ 21.3	
315	3243.9/ 988.7	455.8/ 138.9	7.8/ 12.5	13.9/ 22.2	

The Center Of Radiation Above Mean Sea Level is 3699.6 Feet or 1127.7 Meters

The Average Terrain Elevation is 3207.6 Feet or 977.7 Meters

The Radiation Center Above Average Terrain (HAAT) is 492.0 Feet or 150.0 Meters

The Area Within the 1 mV/m Contour is 655.1 Miles or 1696.8 Kilometers

July 23, 1988

The following exhibit is labeled E-5b and is now included for completeness and to show the predicted contours of a full Class A operating at the maximum 3 KW power and at 100 meters hieght, at the same site.

It is shown by comparison and should be noted, that the predicted

T. Kent Atkins Dallas, Texas

Exhibit E-7

Page 1 July 23, 1988

# FM Interference study

Title: LUBBOCK KJTV SITE CLASS A Channel 211A ( 90.1 MHz) ERF: 3 kW; EAH: 100 m Longitude: 101-52 Database: DW 07/20/88 Safety zone: 65	2-20
Call Auth Licensee name Chan ERP-kW Latitude Br-to Dist. R City of License St FCC File no. Freq EAH-m Longitude -from (km) (	(eq. (km)
KENW-FM LIC BD OF REGENTS EASTERN NM *208C1 100       34-10-27 299.1 155.8 43         PORTALES       NM       89.5 56 103-21-03 118.3 112.6 CL         Proposed F(50,50)       100 dBu = 2.201 km; KENW-FM F(50,50) 60 dBu = 41.01         Proposed F(50,50)       60 dBu = 24.32 km; KENW-FM F(50,50) 100 dBu = 4.371	8.21 .EAR .km
ALLOC       *209A       32-19-12 205.8 145.5 32         ANDREWS       TX       89.7       102-32-48 25.4 113.5 CL         Proposed F(50,50)       80 dBu = 7.676 km; ALLOC       F(50,50)       60 dBu = 24.32 km; ALLOC         Proposed F(50,50)       60 dBu = 24.32 km; ALLOC       F(50,50)       80 dBu = 7.676	km km
ALLOC *210A 32-44-06 185.4 85.47 60 LAMESA TX 89.9 101-57-30 5.3 24.77 CL Proposed F(50,10) 54 dBu = 36.38 km; ALLOC F(50,50) 60 dBu = 24.32 km; ALLOC F(50,10) 54 dBu = 36.38	.EAR km
KAMY CP CAPROCK ED BCG FOUND *211A .50 33-32-31 48.1 6.611 89 LUBBOCK TX BPED-840626IE 90.1 82 101-49-09 228.1 -82.7 SH CP Granted 10/15/87; Was KCEI 04/08/88	IORT
Proposed F(50,10) 40 dBu = 75.30 km; KAMY $F(50,50)$ 60 dBu = 14.04 Proposed F(50,50) 60 dBu = 24.32 km; KAMY $F(50,10)$ 40 dBu = 48.04	
KAMY APP CAPROCK ED BCG FOUND *211A 1.50 33-36-32 48.1 17.79 99 LUBBOCK TX 880328MM 90.1 134 101-43-45 228.2 -81.3 SH Was KCEI 04/08/88	
Proposed F(50,10) 40 dBu = 75.30 km; KAMY F(50,50) 60 dBu = 23.75 Proposed F(50,50) 60 dBu = 24.32 km; KAMY F(50,10) 40 dBu = 70.41	
ALLOC       *211A       32-42-00 233.1 147.4 99         HOBBS       NM       90.1 103-07-54 52.4 47.82 CLI         Proposed F(50,10)       40 dBu = 75.30 km; ALLOC F(50,50) 60 dBu = 24.32 km; ALLOC F(50,10) 40 dBu = 75.30 lb	km
ALLOC *211A 32-23-42 142.4 154.8 99 COLORADO CITY TX 90.1 100-51-54 322.9 55.14 CLI Proposed F(50,10) 40 dBu = 75.30 km; ALLOC F(50,50) 60 dBu = 24.32 km; ALLOC F(50,10) 40 dBu = 75.30 km	EAR km
KPIN-FM   IC PLAINS INDEPENDENT SCHOOL #0100	24

T. Kent Atkins Dallas, Texas

Page 2 July 23, 1988

### FM Interference study

Title: LUBBOCK KJTV SITE CLASS A

Channel 211A ( 90.1 MHz) ERP: 3 kW; EAH: 100 m Longitude: 101-52-20


Latitude: 33-30-08

Call Chan ERF-kW Latitude Br-to Dist. Req. Auth Licensee name

City of License St FCC File no. Freq EAH-m Longitude -from (km) (km)

ምምኔ <u>ሙል ምምር ከተመ</u>ፈል ምምን ነው። የነው ም<u>መን ነ</u>ርር (81ኛ)

Vertical Plan Sketch of Total Structure Channel 211 Class A



NOTE : NOT TO SCALE

Element Depictions are Purely Symbolic

Shively Laboraties FM Antenna Model 6810 8 Bays - Power Gain 4.4 (6.43 db) Vertical Apperture 77 Feet